



VeDiS 3 Plus

VEHICLE DIAGNOSTIC SYSTEM 3⁺



AUTOLAND SCIENTECH USA, INC.

1001 Cypress Creek Rd. #101, Cedar Park, TX 78613, USA

Tel: (512) 336-5152 / Fax: (512) 336-3731 / Toll Free: 1-888-472-2644

e-mail: support@autolandscientech.com / info@autolandscientech.com

Website: <http://www.autolandscientechusa.com>

Vehicle Coverage

• ASIAN CARS

ACURA, DAEWOO, DAIHATSU, HONDA, HYUNDAI, INFINITI, ISUZU, KIA, LEXUS, MAZDA, MITSUBISHI, NISSAN, PERODUA, PROTON, SSANGYONG, SUBARU, SUZUKI, TOYOTA.

• EUROPEAN CARS

ALFA ROMEO, AUDI, BENTLEY, BMW, CITROEN, FIAT, JAGUAR, LANCIA, LAND ROVER, MERCEDES-BENZ, MINI, OPEL, PEUGEOT, PORSCHE, RENAULT, ROLLS-ROYCE, SAAB, SKODA, SMART, VAUXHALL, VOLKSWAGEN, VOLVO.

• AMERICAN CARS

CHRYSLER, GM

• AUSTRALIAN CAR

HOLDEN

• FORD & MAZDA

• TRUCK PACKAGE

FUSO, HINO, ISUZU, UD, DYNA

• SUPERCAR

NISSAN GT-R, MASERATI, FERRARI, LAMBORGHINI

Functions

- Read / clear fault code
- Data stream (live data)
- Component activation
- ECU adaptation
- ECU coding
- Service reset

Features

- Customizable unit conversion
- Employing the latest translation capabilities available on Android and powered by Google Translate
- J2534 Pass-Thru capability
- Technical Hotline (THL)
- Fault code repair guide
- Support on Demand (SOD)
- Data comparison for analysis: Graphs multiple PIDs on screen simultaneously
- Screenshot available
- Easy software update

State-of-the-Art Hardware Design

- Multi built-in interface module
- Communication protocol compatibility to all makes
- 10.1" IPS LCD touch screen
- Wireless connectivity: WiFi update and WiFi printing
- Handy hardware easy to use

Powerful Diagnostic Software

- Comprehensive coverage for over 40 makes
- Variety of diagnostic adapters available
- Monthly wireless updates
- User friendly interface



Diagnosis



J2534



Support On Demand (SOD)





Technical Hotline (THL)



UPDATE



Service Related Functions




BMW E-series
Support Equipment Function Setup - Drive System

TOYOTA
Support Customize

J2534 Pass-Thru Capability

Supports J2534 Interface standards to work with vehicle OBDII systems.



J2534 supports [Volvo-Vida], [JLR-SDD], [Toyota-Techstream], [Honda-HDS], [GM-GDS2], and [FORD-FMP] interface function.

Technical Hotline (THL)

Through remote control software, distributors or tech-support team can remotely operate VeDiS3 and perform all necessary functions.

WiFi update

Easy software update

- Connect VeDiS3 to Internet then select [UPDATE], system will detect if new software updates are available.

WiFi Printing


VeDiS3 supports WiFi printing. The function requires the VeDiS3 and printer to be connected to the same network.

Data analysis

- Customizable unit conversion
- Screenshot capable
- Graphs multiple PIDs on screen simultaneously



- 1 Select [Data Stream], live data presented. Click the graphic icon to view a graph of live data.



- 2 Under [Data Stream], user can select multiple items and then click [Filter].



- 3 iSCAN3 shows the data comparison.